

# White Snow

Overall Status: Pass

Sample ID: 1A4060300004087000025350;  
**Sample ID: 2111NIVA2629.8419** Produced: 7/28/23  
 Strain: N/A Collected: 7/28/23  
 Matrix: Concentrates & Extracts Received: 7/28/23 Lic. # C11-0000263-LIC  
 Type: Live Resin Completed: 7/28/23 7742 Densmore Ave.  
 Sample Size: 13 units; Batch Size: 2,000 Batch#: BIS-CG-111221-DW Van Nuys, CA 91406

	<b>Pass</b>	<b>Pass</b>	<b>Not Tested</b>	<b>Pass</b>
	Foreign Matter SOP.TS.4.001	Heavy Metals SOP.TS.4.500 ICP-MS	Moisture SOP.TS.4.001	Pesticides SOP.TS.4.301 GC-MS/MS SOP.TS.4.300 LC-MS/MS
	<b>Pass</b>	<b>Pass</b>	<b>Not Tested</b>	<b>Pass</b>
	Microbials SOP.TS.4.600 PathogenDx	Solvents SOP.TS.4.400 GC-MS	Water Activity NT SOP.TS.4.003	Mycotoxins SOP.TS.4.300 LC-MS/MS

## Cannabinoids (SOP.TS.4.100 HPLC Analysis) Pass

<b>89.99%</b> 899.90 mg/g Total THC	<b>0.802%</b> 0.802mg/g Total CBD	<b>90.79%</b> 907.90mg/g Total Cannabinoids	<b>NT</b> Moisture
---	---	---	-----------------------

Analyte	LOD mg/g	LOQ mg/g	Mass mg/g	Mass %
Δ9-THC	0.2400	0.8000	897.62	89.76
CBG	0.2400	0.8000	27.18	0.84
THCV	0.2400	0.8000	8.35	0.73
CBC	0.2400	0.8000	7.28	0.50
CBN	0.2400	0.8000	4.96	0.38
CBD	0.2400	0.8000	3.77	ND
CBDa	0.2400	0.8000	ND	ND
CBDV	0.2400	0.8000	ND	ND
CBGa	0.2400	0.8000	ND	ND
THCa	0.2400	0.8000	ND	ND
Δ8-THC	0.2400	0.8000	ND	ND
<b>Total THC</b>			<b>899.90</b>	<b>89.99</b>
<b>Total CBD</b>			<b>0.802</b>	<b>0.802</b>
<b>Total</b>			<b>907.90</b>	<b>90.79</b>

Density: g per 1 mL  
 Cannabinoids Date Tested: 7/28/23  
 Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.  
 ; Water Activity Date Tested:  
 ; Moisture Date Tested:  
 Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested:7/28/23



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-000024-LIC

## White Snow

Overall Status: Pass

Sample ID: 1A4060300004087000025350;  
Sample ID: 2111NIVA2629.8419 Produced: 7/28/23  
Strain: N/A Collected: 7/28/23  
Matrix: Concentrates & Extracts Received: 7/28/23 Lic. # C11-0000263-LIC  
Type: Live Resin Completed: 7/28/23 7742 Densmore Ave.  
Sample Size: 13 units; Batch Size: 2,000 Batch#: BIS-CG-111221-DW Van Nuys, CA 91406 units

### Microbials

Pass

Analyte	Result	Status
Aspergillus avus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shig toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 7/28/23  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

### Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total A atoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 7/28/23  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

### Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	0.2	ND	Pass
Cadmium	0.009	0.090	0.2	ND	Pass
Lead	0.009	0.090	0.5	ND	Pass
Mercury	0.005	0.020	0.1	ND	Pass

Date Tested: 7/28/23  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
Noah Kaplan(866) 506-5866  
www.confidentcannabis.com




Accreditation #101219 Lab Director  
ISO/IEC 17025:201706/10/22  
Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

**White Snow**

Overall Status: Pass

Sample ID: 1A4060300004087000025350;  
Sample ID: 2111NIVA2629.8419 Produced: 7/28/23  
Strain: N/A Collected 7/28/23  
Matrix: Concentrates & Extracts Received: 7/28/23 Lic. # C11-0000263-LIC Type:  
Live Resin Completed: 7/28/23 7742 Densmore Ave.  
Sample Size: 13 units; Batch Size: 2,000 Batch#: BIS-CG-111221-DW Van Nuys, CA

91406  
units

**Pesticides**

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.1	ND	Pass	Fludioxonil	0.040	0.050	0.1	ND	Pass
Acephate	0.050	0.100	0.1	ND	Pass	Hexythiazox	0.010	0.020	0.1	ND	Pass
Acequinocyl	0.040	0.050	0.1	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.1	ND	Pass	Imidacloprid	0.010	0.020	5	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.1	ND	Pass
Azoxystrobin	0.010	0.020	0.1	ND	Pass	Malathion	0.010	0.020	0.5	ND	Pass
Bifenazate	0.010	0.020	0.1	ND	Pass	Metalaxyl	0.010	0.020	2	ND	Pass
Bifenthrin	0.010	0.020	3	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.1	ND	Pass	Methomyl	0.010	0.020	1	ND	Pass
Captan	0.100	0.100	0.7	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	0.1	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.1	ND	Pass
Chlorantraniliprole	0.040	0.050	10	ND	Pass	Oxamyl	0.010	0.020	0.5	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Pacllobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.1	ND	Pass
Clofentezine	0.010	0.020	0.1	ND	Pass	Permethrin	0.020	0.050	0.5	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.1	ND	Pass
Cyuthrin	0.050	0.100	2	ND	Pass	Piperonyl Butoxide	0.010	0.020	3	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.1	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.1	ND	Pass
Diazinon	0.010	0.020	0.1	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.5	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.1	ND	Pass
Dimethomorph	0.020	0.050	2	ND	Pass	Spinetoram	0.041	0.061	0.1	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.1	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.1	ND	Pass
Etoazole	0.010	0.020	0.1	ND	Pass	Spirotetramat	0.020	0.050	0.1	ND	Pass
Fenhexamid	0.040	0.050	0.1	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.1	ND	Pass
Fenpyroximate	0.010	0.020	0.1	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5	ND	Pass
Fonicamid	0.010	0.020	0.1	ND	Pass	Tri oxystrobin	0.010	0.020	0.1	ND	Pass

Date Tested: 7/28/23  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
Noah Kaplan (866) 506-5866  
www.confidentcannabis.com  
Accreditation #101219 Lab Director  
ISO/IEC 17025:201706/10/22  
Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required



*Handwritten signature*



by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

**White Snow**

Overall Status: Pass

Sample ID: 1A4060300004087000025350;  
Sample ID: 2111NIVA2629.8419 Produced: 7/28/23  
Strain: N/A Collected: 7/28/23  
Matrix: Concentrates & Extracts Received: 7/28/23 Lic. # C11-0000263-LIC Type:  
Live Resin Completed: 7/28/23 7742 Densmore Ave.  
Sample Size: 13 units; Batch Size: 2,000 Batch#: BIS-CG-111221-DW Van Nuys, CA  
91406

**Residual Solvents**

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.25	0.50	1.0	ND	Pass
Acetone	5.0	10	5000	ND	Pass
Acetonitrile	5.0	10	410	ND	Pass
Benzene	0.25	0.50	1.0	ND	Pass
Butane	5.0	10	5000	ND	Pass
Chloroform	0.25	0.50	1.0	ND	Pass
Ethanol Ethyl-	5.0	10	5000	ND	Pass
Acetate Ethyl-Ether	5.0	10	5000	ND	Pass
Ethylene Oxide	5.0	10	5000	ND	Pass
Heptane	0.50	1.0	1.0	ND	Pass
Isopropanol	5.0	10	5000	ND	Pass
Methanol	5.0	10	5000	75.408	Pass
Methylene Chloride	5.0	10	3000	ND	Pass
n-Hexane	0.25	0.50	1.0	ND	Pass
Pentane	5.0	10	290	ND	Pass
Propane	5.0	10	5000	ND	Pass
Toluene	5.0	10	5000	ND	Pass
Trichloroethene	5.0	10	890	ND	Pass
Xylenes	0.25	0.50	1.0	ND	Pass
	5.0	10	2170	ND	Pass

Date Tested: 7/28/23 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID

Confident Cannabis

All Rights Reserved  
support@confidentcannabis.com  
Noah Kaplan(866) 506-5866  
www.confidentcannabis.com




Accreditation #101219Lab Director  
ISO/IEC 17025:201706/10/22

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required

by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty